

EAST - [lined duct:2]

File View Edit Tools Window Help

Pending

Active

L2: (6) 11 and (frangible or breakable)  
L1: (639) (296/29).CCLS.  
L3: (255) (296/203.02).CCLS.  
L4: (173) (296/187.09).CCLS.  
L5: (124) (188/376).CCLS.  
L6: (472) (403/2).CCLS.  
L7: (8) 16 and 296/\$.ccls.  
L8: (568) (293/155).CCLS.  
L9: (304) (296/203.01).CCLS.  
L10: (2) ("5326133" | "5875408").PN.  
L11: (0) 6729429.URPN.  
L12: (705) (180/68.4).CCLS.  
L13: (60) 112 and bumper

Failed

(9260) 138/\$.ccls. and line\$  
(0) ((296/187.09) or (296/187.1) or (296/203.10-203

Saved

(5) (("5545361") or ("5799991") or ("5988713") or (  
(7) (("5092512") or ("5124186") or ("5139297") or (  
(6) (("4165113") or ("4221413") or ("4320913") or (  
(5) (("5,092,512") or ("6,406,081") or ("5,799,991"  
(1148) ((293/15) or (293/102) or (293/120-121) or (

Drafts

Pending

Active

Failed

Saved

Favorites

Tagged (7)

UDC

Queue

Trash

Search

List

Browse

Queue

Clear

DBs

USPAT

Plurals

Default operator:

OR

Highlight all hit terms initially

112 and bumper

S...

C...

B...

IS...

H...

De...

Int...

T...

H...

U

1

Document ID

Issue Dat

Page

Title

Current C

1

☐

☒

US 6634702

20031021

6

Front-end module for a

2

☐

☒

US 4466653

19840821

6

Automobile front body

296/187.0

3

☐

☒

US 6398292

20020604

16

Vehicle body structure

296/187.0

4

☐

☒

US 5853195

19981229

5

Front rail assembly for

280/784

5

☐

☒

US 6578904

20030617

5

Vehicle, in particular

6

☐

☒

US 6729429

20040504

12

Distance measuring

180/271

7

☐

☒

US 5271473

19931221

6

Front body structure

180/68.4

for improved crash safe

a vehicle

passenger vehicle, with

sensor mounting structu

for automotive vehicle

Hits

Details

HTML

Ready

NUM

BEST AVAILABLE COPY



